



Prepectoral breast reconstruction and radiotherapy—a closer look

Steven Sigalove

Scottsdale Center for Plastic Surgery, Scottsdale, AZ, USA

Correspondence to: Steven Sigalove, MD, FACS. Scottsdale Center for Plastic Surgery, Scottsdale, AZ, USA. Email: Sigalove1@mac.com.

Background: Prosthetic breast reconstruction in the setting of post-mastectomy radiation therapy (PMRT) has historically been plagued by complications and poor outcomes. We study the effects of PMRT in the setting of prepectoral prosthetic breast reconstruction in an attempt to ascertain the value of this muscle sparing technique as it relates to complications and outcomes.

Methods: A retrospective analysis was performed on patients who underwent immediate, prepectoral, direct-to-implant or two-staged expander/implant breast reconstruction following skin-sparing mastectomy (SSM) or nipple-sparing mastectomy (NSM) and had postmastectomy radiotherapy. Results and complications were recorded.

Results: In patients who underwent two-staged reconstruction, at the second stage, on visual inspection, the acellular dermal matrix was noted to be completely integrated in all breasts, including those that had been irradiated after expander placement. Postoperative complications in irradiated breasts were limited to two breasts. In one breast, there was one incidence of wound dehiscence after expander irradiation, which led to expander removal and salvage with transverse rectus abdominis musculocutaneous (TRAM) flap reconstruction. In the second breast, there was one incidence of seroma after implant irradiation, which was managed conservatively as an outpatient. The seroma was drained and the patient treated with oral antibiotics. There were no complications in nonirradiated breasts. There was no incidence of clinically significant capsular contracture (grade III/IV) in irradiated or nonirradiated breasts.

Conclusions: Prepectoral breast reconstruction has been an important addition to our reconstructive armamentarium and is proving to be a safe and effective means of performing prosthetic breast reconstruction in a wide array of patient populations. We have seen excellent physiologic and aesthetic outcomes in our patients following PMRT with minimal complications. Indeed, long-term follow-up will be required to elucidate the true effectiveness of this technique but preliminary results are quite promising.

Keywords: Prepectoral breast reconstruction; radiotherapy; prosthetic breast reconstruction; tissue expander-based breast reconstruction; breast reconstruction; post-mastectomy radiation

Submitted Nov 30, 2018. Accepted for publication Dec 27, 2018.

doi: 10.21037/gs.2019.01.01

View this article at: <http://dx.doi.org/10.21037/gs.2019.01.01>

Introduction

Prosthetic breast reconstruction is the most common form of reconstruction for women who undergo mastectomy and immediate reconstruction. In 2017, more than 80% of breast reconstructions were prosthetic reconstructions (1). Despite the success and popularity of prosthetic reconstruction, challenges remain with this mode of reconstruction, particularly with respect to reconstruction in the setting of radiotherapy. Radiation is known to adversely

impact prosthetic reconstruction; notably, a reconstructive failure (implant or expander removal) rate of 20–50% (2–8), a major corrective surgery rate of 40% (9), and a capsular contracture rate of 17–60% (3–5). Patient satisfaction and aesthetic outcomes historically have been diminished in the setting of radiotherapy (10,11).

Prosthetic breast reconstruction has until recently been exclusively performed by placing the prosthesis in a subpectoral or dual-plane position. The placement of the prosthesis in a prepectoral position is currently emerging as

a simpler, alternative approach to prosthetic reconstruction. A number of studies have demonstrated the feasibility and safety of this approach (12–22). The impact of radiotherapy on prepectoral prosthetic reconstruction has currently not been defined, although pre-mastectomy radiotherapy is generally contraindicated unless vascularized tissue is utilized in conjunction (12). It is important to define the impact of post-mastectomy radiotherapy (PMRT) on the prepectoral approach in order to facilitate education and potentially improved outcomes.

If one were to evaluate the pectoralis major muscle both with and without a device beneath it, one begins to see the positive attributes of prepectoral breast reconstruction in the setting of PMRT. When the pectoralis major muscle is radiated, it becomes fibrotic and shortens. Any underlying device then naturally elevates as the muscle shortens and tightens above it. Concurrently, the inframammary fold also moves in the cephalad direction and the entire pocket contracts and moves in the direction of the muscle shortening. Conversely, a prepectoral device is unaffected by pectoralis muscle fibrosis, contracture, or shortening, and as such, in this scenario, the inframammary fold remains stable as there is no upward vector acting on the pocket. The only unwanted sequela is skin envelope tightening, which is unavoidable and largely clinically insignificant.

We have previously reported on our early experience with the prepectoral approach in primary breast reconstruction (12). In a follow-up study, outcomes of patients who underwent immediate, direct-to-implant or two-staged, prepectoral breast reconstruction followed by PMRT were reported and compared with those from patients who did not receive PMRT. The following is a summary of the study.

Methods

Study design and patient population

A retrospective analysis was performed on patients who underwent immediate, prepectoral, direct-to-implant or two-staged expander/implant breast reconstruction following skin-sparing mastectomy (SSM) or nipple-sparing mastectomy (NSM) and had PMRT. Reconstructive surgery was performed from August 2014 to May 2016 at the practices of two reconstructive surgeons (Steven Sigalove and Allen Gabriel). Patients underwent planned or unplanned radiotherapy administered after expander or implant placement. Patients who had poorly vascularized

mastectomy flaps, history of prior radiation, body mass index (BMI) $>40 \text{ kg/m}^2$, poorly controlled diabetes (HbA1c $>7.5\%$) and who were active smokers and lacked fat donor sites were not offered immediate prepectoral reconstruction. In addition, patients who had late stage cancer, large tumors ($>5 \text{ cm}$), deep tumors, chest wall involvement, and grossly positive axillary involvement and were at high risk of recurrence were not offered immediate prepectoral reconstruction (12).

Surgical technique

Prepectoral reconstruction was performed as previously described (12). Following mastectomy, skin flap perfusion was accessed using a Fluorescence Imaging System (SPY Elite, NOVADAQ Technologies Inc., Bonita Springs, Florida or Hamamatsu PDE, Mitaka USA Inc., Denver, Colorado). Only patients with well-perfused skin flap and without contraindications listed above were offered the prepectoral approach. An implant or expander was covered anteriorly and posteriorly with one or two sheets (16 cm \times 20 cm) of thick, perforated, acellular dermal matrix (AlloDerm[®] Tissue Matrix Ready To Use; LifeCell Corporation, Branchburg, NJ, USA) and placed in the prepectoral pocket. The dermal matrix was sutured to the pectoralis major muscle and subcutaneous tissue superiorly and to the inframammary fold inferiorly. Typically, two drains were placed, between the matrix and the mastectomy flap and were located laterally making sure that the drains do not cross the breast meridian. The drains were removed postoperatively when output was less than 30 mL over a 24-hour period. Implant exchange was performed at 6 weeks whenever possible prior to start of radiation therapy. In patients who underwent radiotherapy after expander placement, tissue expansion was typically completed before delivery of radiotherapy. In patients who had air-filled expanders, the air was replaced with saline prior to radiotherapy. In patients who required additional soft tissue coverage, autologous fat grafting was performed at the second stage. However, if patients had undergone capsulotomy during the second stage or were going to have radiotherapy after implant placement, fat grafting was delayed and performed at a later stage.

Data collection and analysis

Patient records were reviewed and the following data were obtained: age at surgery; BMI; history of tobacco use,

Table 1 Patient characteristics

Characteristic	Value
No. of patients	33
No. of breasts	52
Age, years	
Mean \pm SD	50.6 \pm 12.1
Range	23–75
Body mass index, kg/m ²	
Mean \pm SD	27.7 \pm 5.9
Range	16–42
Comorbid conditions, no. of patients (%)	13 (39.4)*
Controlled diabetes (HbA1c \leq 7.5%)	2 (6.1)
Controlled hypertension	6 (18.2)
Obesity (\geq 30 kg/m ²)	12 (36.4)
Smoking (prior)	2 (6.1)
Laterality, no. of patients (%)	
Bilateral	19 (57.6)
Unilateral	14 (42.4)
Type of mastectomy, no. of breasts (%)	
Nipple-sparing	3 (5.8)
Skin-sparing	49 (94.2)
Type of reconstruction, no. of breasts (%)	
Direct-to-implant	19 (36.5)
Expander/implant	33 (63.5)
Radiation, no. of breasts (%)	34 (65.4)
Expander	11 (21.2)
Implant	23 (44.2)
None	18 (34.6)

*, excluding prior smokers; patients with >1 comorbid condition were computed once.

hypertension, and diabetes mellitus; type of mastectomy (NSM or SSM); laterality of mastectomy (unilateral or bilateral); timing of postoperative radiation (after expander or implant placement); and type and incidence of complications after each stage of reconstruction. Complications obtained included seroma, hematoma, infection, wound dehiscence, skin necrosis, expander/implant exposure or removal, and capsular contracture. Capsular contracture was graded based on the Spear-Baker

Table 2 Complications in irradiated and nonirradiated breasts

Complications	Irradiated (N=34), n (%)	Nonirradiated (N=18), n (%)	P value
Total complications [†]	2 (5.9)	0	0.5
Seroma	1 (2.9)	0	1.0
Wound dehiscence	1 (2.9)	0	1.0
Expander removal	1 (2.9)	0	1.0

[†], breasts with >1 complication were computed once. Between-group comparison was performed using Fisher's exact test.

classification (23). Clinically significant contracture was defined as grade III/IV contracture.

Results

Thirty-three patients met our inclusion criteria and formed the analytic cohort of the study (*Table 1*). Fifty-two breasts were reconstructed using the prepectoral approach. Patients' age at the time of surgery ranged from 23 to 75 years, with a mean of 50.6 years. Almost 40% of patients had comorbid conditions; in particular, 36.4% were obese with a BMI \geq 30 kg/m². Nineteen patients had bilateral and 14 unilateral mastectomies. Ninety-four point two percent of the mastectomies were skin sparing, the remaining were nipple sparing. Nineteen breasts underwent direct-to-implant reconstruction and 33 expander/implant reconstruction. Sixty-five point four percent of the breasts were irradiated, including 21% after expander and 44% after implant placement. Patients were followed for a mean of 25.1 \pm 6.4 months (range, 15.5 to 37.3 months) after implant placement.

In patients who underwent two-staged reconstruction, at the second stage, on visual inspection, the acellular dermal matrix was noted to be completely integrated in all breasts, including those that had been irradiated after expander placement. Postoperative complications in irradiated breasts were limited to two breasts (*Table 2*). In one breast, there was one incidence of wound dehiscence after expander irradiation, which led to expander removal and salvage with transverse rectus abdominis musculocutaneous (TRAM) flap reconstruction. In the second breast, there was one incidence of seroma after implant irradiation, which was managed conservatively as an outpatient. The seroma was drained and the patient treated with oral antibiotics. There were no complications in nonirradiated breasts. There was no incidence of clinically significant capsular contracture

(grade III/IV) in irradiated or nonirradiated breasts. Representative patient cases are shown in *Figures 1,2*.

Discussion

Radiation is the most significant risk factor for major complications in prosthetic reconstruction (7). Radiation-induced injury is noticeable within days to weeks on breast skin and tissue as edema, inflammation, and desquamation. These acute effects may lead to complications such as incisional dehiscence, infection, delayed healing, seroma, and hematoma after breast reconstruction (24). Over time, radiation causes progressive fibrosis of the skin and underlying muscles resulting in dermal thickening and muscle fibrosis with atrophy. These delayed effects of radiation may lead to complications such as capsular contracture and implant malposition after reconstructive surgery (10,11,25).

The impact of premastectomy radiation and PMRT on subpectoral implant-based reconstruction has been extensively studied and documented (10,11,25). Given that prepectoral breast reconstruction is a relatively new technique, there is a paucity of data in the setting of radiotherapy. Hence, this study was undertaken to document the outcomes of patients who received PMRT following prepectoral implant-based breast reconstruction. The results suggest that prepectoral reconstruction in the setting of PMRT appears to be well tolerated with a low complication rate that included a major surgery rate of 2.9%, a reconstructive failure rate of 2.9%, and a clinically significant capsular contracture rate of 0%. Reconstructions were successfully completed in 97% of irradiated breasts. Although there were no complications in nonirradiated breasts, the difference in the rate of complications between the irradiated and nonirradiated groups was statistically nonsignificant. Despite the fact that this is a small study of 34 irradiated reconstructions with a mean duration of follow-up of approximately 25 months, the low rate of complications following PMRT is favorable. In comparison, in a study by Spear *et al.* of 56 acellular-dermis assisted, two-stage subpectoral reconstructions with a median duration of follow-up of 15 months, PMRT was associated with a reconstructive failure rate of 21% and a capsular contracture (grade III/IV) rate of 61% (4).

It appears that the timing of PMRT (expander irradiation versus implant irradiation) appears to have little influence on postoperative outcomes. There was one complication each in the expander-irradiated group and implant-irradiated group, respectively. In contrast, in subpectoral

reconstructions, expander irradiation is generally associated with a higher risk of reconstructive failure and capsular contracture compared with implant irradiation (4,5,25). However, a recent study (Mastectomy Reconstruction Outcomes Consortium Study) reported no significant difference in complication rates between expander or implant irradiation. This study concluded that the timing of PMRT is not a significant predictor of any complication, a major complication, or reconstructive failure (26), which corroborates the findings from the current study in prepectorally reconstructed patients.

Such favorable outcomes in prepectoral breast reconstruction can potentially be rationalized in a study by Cheng *et al.* (27). In this study, the authors described a novel technique to treat and prevent recurrent capsular contracture, which entailed using acellular dermal matrix to completely cover the implant anteriorly. Of 16 breasts treated, none developed recurrent capsular contracture over an average follow-up of 9.2 months (range, 2.4 to 18.8 months). Clinically, it is now well recognized that acellular dermal matrix mitigates capsular contracture, even if it partially covers the implant (28-30). Histopathological studies suggest that acellular dermal matrix diminishes the inflammatory and profibrotic signaling characteristics of breast capsule development leading to capsules that are thinner than native breast capsules (31-33). But in the setting of PMRT, the benefit of acellular dermal matrix appears to be diminished as reported in the Spear *et al.* study (4). This leads to the speculation that perhaps complete prosthesis coverage with acellular dermal matrix and sparing the pectoralis major may provide greater protection against the adverse effects of radiotherapy than partial coverage. Sparing the pectoralis major minimizes and eliminates the cephalad pull of the muscle, permitting the implant to remain in its preradiation location. The skin reaction to radiation, however, is not eliminated in the prepectoral approach, which leads to dermal fibrosis and thickening of the skin envelope. Fat grafting in this setting may play an important role in improving the overall skin envelope over time. Both hypotheses may be worth pursuing in future studies so as to improve prosthetic reconstruction outcomes with PMRT.

Technique principles are also important for successful outcomes in the setting of PMRT. The delivery of PMRT after complete tissue healing and recovery from the surgical intervention helps in minimizing the risk of wound dehiscence and skin necrosis. Incisional dehiscence may be minimized via an inframammary incision, which is the preferred incision in all two-stage reconstructions.




Figure 1 Bilateral nipple sparing mastectomy with immediate single-stage reconstruction and post-mastectomy proton beam therapy. (A) A 49-year-old woman with a diagnosis of invasive right breast cancer; (B) patient at 4 weeks postoperatively following bilateral mastectomy and immediate direct-to-implant reconstruction with anatomical gel implants (Natrellé Style 410 445 cc) and AlloDerm RTU (extra thick, 640 cm²); (C) patient 1 week into radiotherapy; (D,E) 4 weeks into radiotherapy; (F,G) 8 months post-irradiation and 9 months postoperative. Patient did not undergo fat grafting and her breasts remain soft without contracture at 8 months post-reconstruction.




Figure 2 Bilateral skin sparing mastectomy with immediate implant reconstruction followed by post-mastectomy photon beam therapy. (A,B) A 53-year-old woman with a diagnosis of invasive right breast cancer. She underwent PMRT of her right breast following bilateral mastectomy and immediate direct-to-implant reconstruction with anatomical gel implants (Natrellé Style 410 MX 685 cc) and AlloDerm RTU (extra thick, 640 cm²); (C,D) patient at 6 months following completion of radiotherapy and no fat grafting. PMRT, post-mastectomy radiation therapy.

When expander irradiation is planned, tissue expansion is completed before irradiation. Fat grafting is usually necessary in irradiated breasts to improve overall aesthetics.

and is performed after tissue healing, typically 3–6 months after PMRT, although the authors are considering earlier fat grafting. As irradiation progressively compromises tissue

perfusion, early fat grafting allows the capitalization of perfused tissue for graft retention and regeneration. The regenerative environment created by the incorporated fat cells may also benefit the host tissue during the early healing phase post irradiation. There is some evidence that earlier fat grafting may mitigate postoperative complications. In a study of 16 patients, Ribuffo *et al.* reported fat grafting 6 weeks after expander irradiation prevented ulceration and implant exposure (34).

Conclusions

Immediate implant-based prepectoral breast reconstruction followed by PMRT appears to be well tolerated, with no excess risk of adverse outcomes, at least in the short term. By not having a fibrotic and shortening pectoralis major muscle to contract on an elevating expander or implant, the pocket remains stable with cephalad vectors acting upon it. The inframammary fold remains stable, and the incidence of capsular contracture is minimal. Longer follow-up is needed to better understand the risk of PMRT in prepectorally reconstructed breasts. For patients who have been radiated in the past, care should be exercised when considering prepectoral implant-based reconstruction without a concurrent vascularized muscle flap. Should prepectoral breast reconstruction be carried out in the absence of a vascularized muscle flap (i.e., Latissimus Dorsi) the surgeon should have a definitive discussion with the patient outlining the high risks of seromas, incisional dehiscence, infection, necrosis, and reconstructive failure necessitating autologous salvage.

Acknowledgements

None.

Footnote

Conflicts of Interest: The author has no conflicts of interest to declare.

Ethical Statement: This study was approved by PeaceHealth Institutional Review Board, Vancouver, Washington (No. 554349).

References

1. American Society of Plastic surgeons. 2016 Plastic Surgery Statistics Report. Available online: <https://www.plasticsurgery.org/documents/News/Statistics/2016/plastic-surgery-statistics-full-report-2016.pdf>
2. Jagsi R, Jiang J, Momoh AO, et al. Complications after mastectomy and immediate breast reconstruction for breast cancer: a claims-based analysis. *Ann Surg* 2016;263:219-27.
3. Cordeiro PG, Albornoz CR, McCormick B, et al. What is the optimum timing of postmastectomy radiotherapy in two-stage prosthetic reconstruction: radiation to the tissue expander or permanent implant? *Plast Reconstr Surg* 2015;135:1509-17.
4. Spear SL, Seruya M, Rao SS, et al. Two-stage prosthetic breast reconstruction using AlloDerm including outcomes of different timings of radiotherapy. *Plast Reconstr Surg* 2012;130:1-9.
5. Nava MB, Pennati AE, Lozza L, et al. Outcome of different timings of radiotherapy in implant-based breast reconstructions. *Plast Reconstr Surg* 2011;128:353-9.
6. Kronowitz SJ, Lam C, Terefe W, et al. A multidisciplinary protocol for planned skin-preserving delayed breast reconstruction for patients with locally advanced breast cancer requiring postmastectomy radiation therapy: 3-year follow-up. *Plast Reconstr Surg* 2011;127:2154-66.
7. Berry T, Brooks S, Sydow N, et al. Complication rates of radiation on tissue expander and autologous tissue breast reconstruction. *Ann Surg Oncol* 2010;17:202-10.
8. Brennan ME, Flitcroft K, Warriar S, et al. Immediate expander/implant breast reconstruction followed by post-mastectomy radiotherapy for breast cancer: Aesthetic, surgical, satisfaction and quality of life outcomes in women with high-risk breast cancer. *Breast* 2016;30:59-65.
9. Wong JS, Ho AY, Kaelin CM, et al. Incidence of major corrective surgery after post-mastectomy breast reconstruction and radiation therapy. *Breast J* 2008;14:49-54.
10. Magill LJ, Robertson FP, Jell G, et al. Determining the outcomes of post-mastectomy radiation therapy delivered to the definitive implant in patients undergoing one- and two-stage implant-based breast reconstruction: A systematic review and meta-analysis. *J Plast Reconstr Aesthet Surg* 2017;70:1329-35.
11. Clemens MW, Kronowitz SJ. Current perspectives on radiation therapy in autologous and prosthetic breast reconstruction. *Gland Surg* 2015;4:222-31.
12. Sigalove S, Maxwell GP, Sigalove NM, et al. Prepectoral Implant-Based Breast Reconstruction: Rationale, Indications, and Preliminary Results. *Plast Reconstr Surg* 2017;139:287-94.

13. Sbitany H, Piper M, Lentz R. Prepectoral Breast Reconstruction: A Safe Alternative to Submuscular Prosthetic Reconstruction following Nipple-Sparing Mastectomy. *Plast Reconstr Surg* 2017;140:432-43.
14. Vidya R, Masià J, Cawthorn S, et al. Evaluation of the effectiveness of the prepectoral breast reconstruction with Braxon dermal matrix: First multicenter European report on 100 cases. *Breast J* 2017;23:670-6.
15. Woo A, Harless C, Jacobson SR. Revisiting an Old Place: Single-Surgeon Experience on Post-Mastectomy Subcutaneous Implant-Based Breast Reconstruction. *Breast J* 2017;23:545-53.
16. Berna G, Cawthorn SJ, Papaccio G, et al. Evaluation of a novel breast reconstruction technique using the Braxon® acellular dermal matrix: a new muscle-sparing breast reconstruction. *ANZ J Surg* 2017;87:493-8.
17. Onesti MG, Maruccia M, Di Taranto G, et al. Clinical, histological, and ultrasound follow-up of breast reconstruction with one-stage muscle-sparing "wrap" technique: A single-center experience. *J Plast Reconstr Aesthet Surg* 2017;70:1527-36.
18. Bernini M, Calabrese C, Cecconi L, et al. Subcutaneous Direct-to-Implant Breast Reconstruction: Surgical, Functional, and Aesthetic Results after Long-Term Follow-Up. *Plast Reconstr Surg Glob Open* 2016;3:e574.
19. Downs RK, Hedges K. An Alternative Technique for Immediate Direct-to-Implant Breast Reconstruction-A Case Series. *Plast Reconstr Surg Glob Open* 2016;4:e821.
20. Kobraei EM, Cauley R, Gadd M, et al. Avoiding Breast Animation Deformity with Pectoralis-Sparing Subcutaneous Direct-to-Implant Breast Reconstruction. *Plast Reconstr Surg Glob Open* 2016;4:e708.
21. Becker H, Lind JG 2nd, Hopkins EG. Immediate Implant-based Prepectoral Breast Reconstruction Using a Vertical Incision. *Plast Reconstr Surg Glob Open* 2015;3:e412.
22. Reitsamer R, Peintinger F. Prepectoral implant placement and complete coverage with porcine acellular dermal matrix: a new technique for direct-to-implant breast reconstruction after nipple-sparing mastectomy. *J Plast Reconstr Aesthet Surg* 2015;68:162-7.
23. Spear SL, Baker JL Jr. Classification of capsular contracture after prosthetic breast reconstruction. *Plast Reconstr Surg* 1995;96:1119-23.
24. Clemens MW, Kronowitz SJ. Acellular dermal matrix in irradiated tissue expander/implant-based breast reconstruction: evidence-based review. *Plast Reconstr Surg* 2012;130:27S-34S.
25. Lam TC, Hsieh F, Boyages J. The effects of postmastectomy adjuvant radiotherapy on immediate two-stage prosthetic breast reconstruction: a systematic review. *Plast Reconstr Surg* 2013;132:511-8.
26. Santosa KB, Chen X, Qi J, et al. Postmastectomy Radiation Therapy and Two-Stage Implant-Based Breast Reconstruction: Is There a Better Time to Irradiate? *Plast Reconstr Surg* 2016;138:761-9.
27. Cheng A, Lakhiani C, Saint-Cyr M. Treatment of capsular contracture using complete implant coverage by acellular dermal matrix: a novel technique. *Plast Reconstr Surg* 2013;132:519-29.
28. Salzberg CA, Ashikari AY, Berry C, et al. Acellular Dermal Matrix-Assisted Direct-to-Implant Breast Reconstruction and Capsular Contracture: A 13-Year Experience. *Plast Reconstr Surg* 2016;138:329-37.
29. Ho G, Nguyen TJ, Shahabi A, et al. A systematic review and meta-analysis of complications associated with acellular dermal matrix-assisted breast reconstruction. *Ann Plast Surg* 2012;68:346-56.
30. Vardanian AJ, Clayton JL, Roostaiean J, et al. Comparison of implant-based immediate breast reconstruction with and without acellular dermal matrix. *Plast Reconstr Surg* 2011;128:403e-10e.
31. Basu CB, Leong M, Hicks MJ. Acellular cadaveric dermis decreases the inflammatory response in capsule formation in reconstructive breast surgery. *Plast Reconstr Surg* 2010;126:1842-7.
32. Leong M, Basu CB, Hicks MJ. Further evidence that human acellular dermal matrix decreases inflammatory markers of capsule formation in implant-based breast reconstruction. *Aesthet Surg J* 2015;35:40-7.
33. Chopra K, Buckingham B, Matthews J, et al. Acellular dermal matrix reduces capsule formation in two-stage breast reconstruction. *Int Wound J* 2017;14:414-9.
34. Ribuffo D, Atzeni M, Guerra M, et al. Treatment of irradiated expanders: protective lipofilling allows immediate prosthetic breast reconstruction in the setting of postoperative radiotherapy. *Aesthetic Plast Surg* 2013;37:1146-52.

Cite this article as: Sigalove S. Prepectoral breast reconstruction and radiotherapy—a closer look. *Gland Surg* 2019;8(1):67-74. doi: 10.21037/gs.2019.01.01